



Date of Birth : 01-Jan-1962
 Sex : F
 Collected : 26-Mar-2015

TEST HEALTH CENTRE
 123 TEST STREET
 BURWOOD VIC 3125

P: 1300 688 522
 E: info@nutripath.com.au
 A: PO Box 442 Ashburton VIC 3142

Lab id: **3384309** UR#:

INTEGRATIVE MEDICINE

BLOOD SPOT	Result	Range	Units	
Coeliac Profile, Blood Spot				
Transglutaminase IgA, Blood Spot	27.00 *H	< 15.00	units/mL	
Gliadin Antibody IgA, Blood Spot	19.00 *H	< 15.00	units/mL	
Gliadin Antibody IgG, Blood Spot	15.00 *H	< 15.00	units/mL	

Integrative Medicine Comments

Anti-Tissue Transglutaminase IgA is a highly sensitive and specific marker for untreated celiac disease in IgA competent individuals.

Anti Gliadin IgA and Anti gliadin IgG are useful markers for an equivocal Transglutaminase IgA in conjunction with other clinical findings and biopsies.

Although the prevalence of IgA deficiency in celiac disease is relatively low, measurement of serum IgA levels is an appropriate follow up in individuals with a negative Transglutaminase IgA in whom celiac disease is still suspected. Individuals on a gluten-free diet prior to testing may show low or falsely negative serological values.

Tests ordered: CoelPrBS

(*) Result outside normal reference range

(H) Result is above upper limit of reference range